COUNCIL MEETING SPECIAL SESSION OCTOBER 16, 2019 6:30 PM

ATTENDANCE COUNCIL MEMBERS:

David Fuhrman, President

Jill Bridgewater

Larry Parker Phillip Gick Danny Wallace

ATTORNEY:

AUDITOR'S OFFICE: Lorie Hallett, Auditor

AUDIENCE: 2 individual

The Putnam County Council met in Special Session on October 16, 2019 at the Putnam County Courthouse at 6:30 p.m. David Fuhrman opened the meeting with the pledge to the flag.

BUDGET ADOPTIONS

Jacqueline Clements, AIC informed the Council that the budget for Greencastle Community Schools as explained at the budget hearings was over levy. This will be adjusted by the state.

The Airport Authority is under levy.

ORDINANCE 2019-10-16-1 CLOVERDALE TOWNSHIP

The Cloverdale Township Trustee, Pat Mc Fadden had presented a petition for the Council to hear the budget due to their Advisory Board having a majority of Volunteer Fire Fighters on the Board

Ordinance 2019-10-16-1 was approved on a motion made by Danny Wallace and seconded by Jill Bridgewater. The motion carried.

ORDINANCE 2019-10-15-2 PUTNAM COUNTY

Ordinance 2019-10-15-2

was approved on a motion made by Larry Parker and seconded by Phil Gick. The motion carried.

ORDINANCE 2019-10-15-3 PUTNAM COUNTY AIRPORT AUTHORITY

Ordinance 2019-10-15-3 was approved on a motion made by Jill Bridgewater and seconded by Danny Wallace. The motion carried.

ORDINANCE 2019-10-15-4 GREENCASTLE COMMUNITY SCHOOLS

Ordinance 2019-10-15-4 was approved on a motion made by Larry Parker and seconded by Phil Gick . The motion carried.

FIRE DISTRICTS BUDGET ADOPTION

The date advertised on the Form 3 for all the fire districts was incorrect in gateway. We have contacted the DLGF and they have changed the date and the adoption will be October 24, 2019 at 5:00 p.m.

ADJOURN

Danny Wallace made a motion to adjourn the meeting and Jill Bridgewater seconded the motion. The motion carried.

David Fuhrman, President	Danny Wallace	
Keith Berry, Vice President	Phillip Gick	

Jill Bridgewater	Larry Parker	
Gene Beck	 Attest: Auditor	